



**Filter Fresh**  
  
WATER PURIFIERS LTD

Instant **Hot** **Cold** Filtered Water

**Imagine the convenience  
of never waiting for the  
kettle to boil or having  
to buy bottled water.**



**Perfect for coffee, tea, soups, noodles, blanching vegetables, food preparation and countless other uses.**



**Enjoy instant filtered  
boiling hot and cool  
drinking water from  
the same stylish tap.**



### **SO CONVENIENT...**

- Up to 60 cups an hour of boiling hot water, adjustable to 98°C.
- High-clearance swivelling spout enables convenient filling of taller vessels.
- LED light indicates your hot water temperature status.
- Filters are so easy to change: automated shut-off valve means you simply unscrew your filter to replace—no need to turn off isolating taps, and no drips!



## SO SAFE...

- Cool-touch spout is safe to touch.
- A child-safety button on the hot lever must be depressed before your Schwan SC60 will deliver boiling water, preventing accidental burns and making it safe when children are around.
- Non-drip dispenser: providing the temperature is set correctly, your Schwan SC60 tap should not drip, owing to an integral large expansion chamber.
- Two separate levers for hot and cold—no risk of accidentally turning a single-lever system the wrong way.

## SO EFFICIENT...

- The Schwan SC60 uses less energy than a 40 watt light-bulb—cheaper to run than boiling a jug!
- Quality stainless-steel tank means your Schwan SC60 will last.
- Insulated tank keeps water hotter for longer.
- Your high-quality Schwan 5-micron filter is manufactured in the USA specially for Schwan, for the reduction of sediment, chlorine, taste and odour. It also includes a phosphate scale inhibitor to reduce the build-up of lime-scale, thus increasing the life of your Schwan SC60 appliance.

# Simple to install, Schwan is backed by a two-year residential warranty

## INSTALLATION REQUIREMENTS

**NOTE:** This is a hot and cold drinking water system, and is not intended for use as a sink mixer tap. Your Schwan does not require cupboard ventilation.

**Water Supply:** The Schwan SC60 is to be connected to a standard 15mm male cold water supply with an isolating valve.


**Electrical:** A standard 10 amp, 3-pin power point is required in the cupboard.

**Dispenser Mounting:** The top-mounted dispenser is easily installed through a standard 35mm hole.

**Drip Tray:** As your Schwan appliance is always full of hot water, we recommend a drained drip tray be used in those applications where any leakage could cause property damage. Schwan will not be held responsible for consequential damage from units not installed on a drained drip tray.

**Warranty:** Two-year repair or replacement warranty for residential installations. One-year repair or replacement warranty for commercial installations (maximum 8 staff).

**Certifications:** The Schwan SC60 complies with AS/NZS 60335.1 and AS/NZS 60335.2.15 standards.



Your Schwan may be floor or wall mounted. Ideal for use in your scullery too.





**Filter Fresh**  
WATER PURIFIERS LTD

[www.filterfresh.co.nz](http://www.filterfresh.co.nz)  
e: [matt@filterfresh.co.nz](mailto:matt@filterfresh.co.nz)  
PO Box 24634, Royal Oak  
Ph: 09 634 1414  
Mob: 0274 420 452

As Schwan has a policy of continual improvement, all details are subject to change without notice. © 2012 Schwan NZ